

BEST AVAILABLE COPY

**P-PSDB; AAU17038**

DR	P-PeSDB, AAU17038.
XX	Novel polypeptides and polynucleotides useful as diagnostic reagents to
PT	diagnose diseases or disorders associated with aberrant expression or
PT	activity of polypeptides, for treating blood clotting disorder,
PT	haemophilia -

Claim 1; SEQ ID No 135; 601pp; English.

The invention relates to isolated nucleic acid molecules and their encoded secreted proteins. The nucleic acids and proteins are used to prevent, treat or ameliorate a medical condition in e.g. humans, mice, rabbits, goats, horses, cats, dogs, chickens or sheep. They are also used in diagnosing a pathological condition or susceptibility to a pathological condition. Antibodies to the proteins can also be used in alleviating symptoms associated with the disorders and in diagnostic immunoassays e.g. radioimmunoassays or enzyme linked immunosorbent assays (ELISA). Disorders which are diagnosed or treated include autoimmune diseases e.g. Rheumatoid arthritis.

CC hyperplastic disorders e.g. neoplasms of the breast or liver,  
CC cardiovascular disorders e.g. cardiac arrest, cerebrovascular disorders  
CC e.g. cerebral ischaemia, angiogenesis, nervous system disorders e.g.  
CC Alzheimer's disease, infections caused by bacteria, viruses and fungi  
CC and ocular disorders e.g. corneal infection, and many other  
CC disorders listed in the specification. The polypeptides can also  
CC be used to aid wound healing and epithelial cell proliferation, to  
CC prevent skin aging due to sunburn, to maintain organs before  
CC transplantation, for supporting cell culture of primary tissues, to  
CC regenerate tissues and in chemotaxis. The polypeptides can also be used  
CC as a food additive or preservative to increase or decrease storage  
CC capabilities, fat content, lipid, protein, carbohydrate, vitamins,  
CC minerals, cofactors and other nutritional components. The present

Query Match	94.68;	Score 1303.6;	DB 22;	Length 1352;
Best Local Similarity	99.18;	Pred: No. 1.5e-267;		
Matches 1330;	Conservative	3;	Mismatches 2;	Indels 7;
				Gaps 2

[illegible]

QY	578	tgtatctccaaagctctgaggagaaacatacaaaagtatgaggttccatctctgcccccaaacctctcaagaccctg	637
Db	542	tgtatctccaaagctctgaggagaaacatacaaaagtatgaggttccatctctgcccccaaacctctcaagaccctg	601
QY	638	cagaagaagctgaaaggtctccatacacaacagctccgaaagatctgaaagatctgaaactctgtaaactgaggaggaa	697
Db	602	cagaagaagctgaaaggtctccatacacaacagctccgaaagatctgaaagatctgaaactctgtaaactgaggaggaa	661
QY	658	gcaagagacaagaggaaacccatacactgaaagaaatgctgtgtgtgcggctactctggaaaggaggaaacgg	757
Db	662	gcaagagacaagaggaaacccatacactgaaagaaatgctgtgtgtgcggctactctggaaaggaggaaacgg	721
QY	758	gatatctctgtctcgaggacatccacagctcccgagccctccatctgaaagtgcaagagtgagaaacggcagctcgctg	817
Db	722	gatatctctgtctcgaggacatccacagctcccgagccctccatctgaaagtgcaagagtgagaaacggcagctcgctg	781
QY	818	ctggacggcaatcatcaacagctctgaggagaaagagctgtgtgcagagcgcaacaagagccggaggctaac	877
Db	782	ctggacggcaatcatcaacagctctgaggagaaagagctgtgtgtgcagagcgcaacaagagccggaggctaac	841
QY	878	ataagacctctctctgtgcaacgcctctctctctgtgtgtgaaagaaatctgtgtcaaaaggagtgtaagatctccgc	937
Db	842	ataagacctctctctgtgcaacgcctctctctctgtgtgtgaaagaaatctgtgtcaaaaggagtgtaagatctccgc	901
QY	938	ggaggcgcctcaagagggtgatactgaggagacatcccaagaggcaacggaggtctctgtgaggccgacgg	997
Db	902	ggaggcgcctcaagagggtgatactgaggagagacatcccaagaggcaacggaggtctctgtgaggccgacgg	961
QY	998	cgcctccaaaggcgcagaacggagaaacggagggctctcgaaatctgaaagaggcggccaagatacacaact	1055
Db	962	cgcctccaaaggcgcagaacggagaaatctcgaaatctgaaagaggcggccaagatacacaact	1021
QY	1058	ggatctctggatctgaggaggagctctgaggcgtttcccccgcgcgttaaataggatctatctactct	1117
Db	1022	ggatctctggatctgaggaggagctctgaggcgtttcccccgcgcgttaaataggatctatctactct	1075
QY	1118	ctaacctcttgaggaggcccaaggacggctgtgtctgtgaaagaaagaaaccccccacccgaaaccccgacga	1177
Db	1076	ctaacctcttgaggaggcccaaggacggctgtgtgtgtgaaagaaagaaaccccccacccgaaaccccgacga	1139
QY	1178	cggcgcctcaaggagccc-cctccaaagagcatcaaggcccccgcaccaagaggtctcatgtcccgccgc	1233
Db	1136	cggcgcctcaaggagccc-cctccaaagagcatcaaggcccccgcaccaagaggtctcatgtcccgccgc	1195
QY	1237	ccaagaaactccgggcccgcggcccccggggccccaagaggtcttgtgtataataaaagttaagt	1296
Db	1196	ccaagaaactccgggcccgcggcccccggggccccaagaggtcttgtgtataataaaagttaagt	1255
QY	1297	ttttataagtaattgttaaacctctgcaccaaatatctattatctctccaattccaataaat	1356
Db	1256	ttttataagtaattgttaaacctctgcaccaaatatctattatctctccaattccaataaat	1315
QY	1357	tattattatctccaaaaaaataa 1378	
Db	1316	tattattatctccaaaaaaataa 1337	

RESULT 11

ID AAA61698 standard; cDNA; 1232 BP.

AC AAA61698;

DT 23-OCT-2000 (first entry)

DE CDNA encoding human serine protease BSSP4 (hBSSP4) SEQ ID NO:7

KW BSSP4; serine protease; human; hBSSP4; mouse; mBSSP4; brain; diagnostic marker; antibody; transgenic animal; Alzheimer's disease

oedema; dropsy; cancer; inflammation; prostate; testis; bone; ss.  
Kw  
XX

XXII. *hollo sapreus*

Sec Over





